



Tork Basic Paper Centerfeed

Couleur: Blanc Format: Bobine à dévidage central



avantage

- Certifié contact alimentaire



300 m



20 cm



1



caractéristiques des produits

article	système	Longueur du rouleau	Laize	Diamètre du rouleau	Epaisseurs	Couleur
120155	M2 - Centerfeed system big	300 m	20 cm	18.7 cm	1	Blanc

description

Papier à 1 pli pour un essuyage traditionnel

données d'expédition

unité de vente

EAN	7310791229720
pièces	1
hauteur	200 mm
largeur	187 mm
longueur	187 mm
volume	7.0 dm3
poids net	1470 g
poids brut	1470 g

unité de transport

EAN	7310791229737
pièces	6
unités de vente	6
matériel	Plastic
hauteur	200 mm
largeur	374 mm
longueur	561 mm
volume	42.0 dm3
poids net	8.82 kg
poids brut	8.93 kg

palette

EAN	7322540150919
pièces	216
unités de vente	216
hauteur	1951 mm
largeur	800 mm
longueur	1200 mm
volume	1.5 m3
poids net	317.52 kg
poids brut	321.59 kg





Tork Basic Paper Centerfeed

Couleur: Blanc Format: Bobine à dévidage central



Tork Basic Paper Centerfeed

Couleur: Blanc Format: Bobine à dévidage central

environnement

Content

Recycled fibres, Chemicals

Material

Recycled fibres Recovered paper can be produced both from collected newsprint, magazines and office waste. The paper is washed with water and treated with chemicals under high temperature and then filtered. Different fibres demand different processes and this determines the end product properties, and makes the fibre type (recovered or virgin) less important. The environmental benefits and economic feasibility of recovered paper as a raw material source depend on its availability, transport distance and the quality of the collected material. **Bleaching of fibres** Bleaching is a cleaning process of the fibres and the aim is to achieve a bright pulp, but also to get a certain purity of the fibre in order to achieve the demands for hygiene products and in some cases to meet the requirements for food safety. There are different methods used today for bleaching ECF (elementary chlorine free) where chlorine dioxide is used, and TCF (totally chlorine free) where ozone, oxygen and hydrogen peroxide is used.

Chemicals

The chemicals used in the process as well as the functional chemicals are assessed from an environmental, occupational health and safety and product safety point of view. The used functional chemicals are: Wet strength agent, Dry strength agent, Dye Fixing agents, Fluorescent whitening agent, Glue, Softeners. The process chemicals are: Antipitch, Protection agent, Yankee coating, Defoamer, Dispersing agents and surfactants, pH and charge control, Retention aids, Broke treatment chemicals, Drainage aid.

Packaging

Fulfilment of Packaging and Packaging Waste Directive (94/62/EC): Yes Environmental label = Ecolabel This product does not have an ecolabel.

Date of issue 10-02-25

Revision date

Production

This product is produced in Kostheim mill, DE, certified according to ISO 9001, ISO 14001 and EMAS.

Destruction

This product is mainly used for personal hygiene and can be collected together with household waste. If used for industrial processes check local regulations for destruction.

